

Makes the most of the kitchen.





For those serious about cooking, walking into a cooking store is like a kid walking into a candy store - you want everything. When you set up your new kitchen, you need to purchase the top 10 must have Kitchen appliances. These appliances help to make life simpler and more comfortable in your new living space. There are many gadgets and appliances advertised on the market. They are quite appealing in looks and good in performance. Beware that the more gadgets you have, the more cluttered and less practical your kitchen becomes. In order to make your kitchen useful and well-appointed, just have several must-have appliances that you will actually enjoy



COOKER HOODS

BUILT-IN HOBS





cooking involves a lot of smoke and especially in the case of Indian food, where the amount of frying and spices is a little too much, it can be really sticky and greasy. While the sound of spluttering tadka gives an irresitble aroma and taste. And this is where a DEXOVIT Kitchen Chimney steps-in as appliance that absorbs smoke and makes your kitchen free from oil, smoke and odour.





ALIENT | SIZE:60 cm/90 cm

CAT NO:71001 MRP:

60 cm STAINLESS STEEL:10500

CAT NO:71002

MRP:

60 cm BLACK:9700

SIZE	60 CM	
FINISH	BLACK POWDER COATED	STAINLESS STEEL
MATERIAL	GP 120 GSM, 0.50 MM (+/- 0.05) MM	SS 430, 0.50 MM (+/- 0.05) MM
TOP GLASS	NA	NA
FRONT GLASS	NA	NA
MOTOR	95 W (ALUMINIUM)	95 W (ALUMINIUM)
CAPACITOR	2.50 MF	2.50 MF
CONTROL	PUSH BUTTON	PUSH BUTTON
HOOD MATERIAL	GP 120 GSM, 0.50 MM (+/- 0.05) MM	SS 430, 0.50 MM (+/- 0.05) MM
FILTER TYPE & SIZE	2*GPSP BLK BAFFLE FILTERS (320*260) MM	2*SS BAFFLE FILTERS (320*260) MM
BLOWER AND HOUSING MATERIAL	PLASTIC	PLASTIC
SUCTION POWER	500 (+/- 10%) M3/H	500 (+/- 10%) M3/H
NOISE LEVEL(DB)	<=54	<=54
LED	ROUND LED	ROUND LED
AUTOCLEAN	NA	NA
HEATING STRIP	NA	NA
EXHAUST DUCT PIPE	ALUMINIUM FOIL COMPRESSABLE PIPE	ALUMINIUM FOIL COMPRESSABLE PIPE
EXHAUST PIPE LENGTH	6 FEET	6 FEET
BOX SIZE	675*300*575 (+/-) 2 MM	675*300*575 (+/-) 2 MM



SACMII

SIZE:60 cm/90 cm

CAT NO:71003
MRP:
60 cm STAINLESS
STEEL:13600
CAT NO:71005
MRP:
60 cm BLACK:11500

SIZE	60 CM	90 CM
FINISH	BLACK POWDER COA	TED
MATERIAL	GP 120 GSM, 0.50 MM	(+/- 0.05) MM
TOP GLASS	NA	
FRONT GLASS	NA	
MOTOR	180 W (HYBRID)	
CAPACITOR	5 MF	
CONTROL	PUSH BUTTON	
HOOD MATERIAL	GP 120 GSM, 0.50 MM	(+/- 0.05) MM
FILTER TYPE & SIZE	2/3* SS BAFFLE FILTE MM	RS (285*235)
BLOWER AND HOUSING MATERIAL	PLASTIC BLOWER & I HOUSING	METALLIC
HOUSING BOX MATERIAL & THK	GP 120 GSM, 0.50 MM	(+/- 0.05) MM
SUCTION POWER	800 (+/- 10%) M3/H	
NOISE LEVEL(DB)	58 TO 61	
LED	ROUND LED	
AUTO CLEAN	NA	
HEATINGSTRIP	NA	
EXHAUST DUCT PIPE	ALUMINIUM FOIL CON	IPRESSABLE PIPE
EXHAUST PIPE LENGTH	6 FEET	
BOX SIZE	676*425*565(+/-) 2 MM	



BLISS

SIZE:60 cm/90 cm

CAT NO:71003 MRP: 60 cm STAINLESS STEEL:13600

CAT NO:71005 MRP: 60 cm BLACK:11500

SIZE 60 CM		CM
FINISH	BLACK POWDER COATED	STAINLESSSTEEL
MATERIAL	GP 120 GSM, 0.50 MM (+/- 0.05) MM	SS 430, 0.50 MM (+/- 0.05) MM
TOP GLASS	5 MM	5 MM
FRONT GLASS	NA	NA
MOTOR	95 W (ALUMINIUM)	95 W (ALUMINIUM)
CAPACITOR	2.50 MF	2.50 MF
CONTROL	PUSH BUTTON	PUSH BUTTON
HOOD MATERIAL	GP 120 GSM, 0.50 MM (+/- 0.05) MM	SS 430, 0.50 MM (+/- 0.05) MM
FILTER TYPE & SIZE	1*GPSP BLK BAFFLE FILTER (320*260) MM	1*SS BAFFLE FILTER (320*260) MM
BLOWER AND HOUSING MATERIAL	PLASTIC	PLASTIC
HOUSING BOX MATERIAL & THK	GP 120 GSM, 0.50 MM (+/- 0.05) MM	GP 120 GSM, 0.50 MM (+/- 0.05) MM
SUCTION POWER	500 (+/- 10%) M3/H	500 (+/- 10%) M3/H
NOISE LEVEL(DB)	<=54	<=54
LED	SQUARE LED	SQUARELED
AUTOCLEAN	NA	NA
HEATINGSTRIP	NA	NA
EXHAUST DUCT PIPE	ALUMINIUM FOIL COMPRESSABLE PIPE	ALUMINIUM FOIL COMPRESSABLE PIPE
EXHAUST PIPE LENGTH	6 FEET	6 FEET
BOX SIZE	660*405*515 (+/-) 2 MM	660*405*515 (+/-) 2 MM



PELICAN | SIZE:60 cm/90 cm

CAT NO:71007 MRP: 60 cm BLACK:15600

CAT NO:71008 MRP: 90 cm BLACK:17000

	SIZE	60 CM	90 CM	60 CM	90 CM
	FINISH	BLACK POWDE	R COATED	STAINLESS S	TEEL
	MATERIAL	GP 120 GSM, 0.5 0.05) MM	50 MM (+/-	SS 430, 0.50 N MM	IM (+/-0.05)
	TOP GLASS	5 MM	6 MM	5 MM	6 MM
	FRONT GLASS	4MM		4MM	
	MOTOR	180 W (HYBRID)		180 W (HYBRI	D)
	CAPACITOR	5 MF		5 MF	
	CONTROL	3 SPEED MOTIO	ON SENSOR	3 SPEED MOT CONTROL	ION SENSOR
	HOOD MATERIAL	GP 120 GSM, 0.5 0.05) MM	50 MM (+/-	SS 430, 0.50 N MM	IM (+/-0.05)
	FILTER TYPE & SIZE	2*SS BAFFLE FI (285*235) MM	LTERS	2*SS BAFFLE (285*235) MM	FILTERS
	BLOWER AND HOUSING MATERIAL	PLASTIC BLOW HOUSING	ER&METAL	PLASTIC BLO	WER & METAL
	HOUSING BOX MATERIAL & THK	GP 120 GSM, 0.5 0.05) MM	50 MM (+/-	GP 120 GSM, (0.05) MM	D.50 MM (+/-
	SUCTION POWER	800 (+/- 10%) M3	I/H	800 (+/- 10%) I	M3/H
	NOISE LEVEL(DB)	58 TO 61		58 TO 61	
	LED	SQUARE LED		SQAURE LED	
	AUTO CLEAN	HEAT AUTO CL	EAN	HEAT AUTO	LEAN
	HEATING STRIP	50 WATTS HEAT	T STRIP	50 WATTS HE	AT STRIP
	OIL COLLECTOR	PLASTIC BOWL HOUSING	FITTED WITH	PLASTIC BOY HOUSING	VL FITTED WITH
	EXHAUST DUCT PIPE	ALUMINIUM FOR COMPRESSABI		ALUMINIUM F COMPRESSA	
	EXHAUST PIPE LENGTH	6 FEET		6 FEET	
	BOX SIZE	676*435*565 (+/-) 2 MM	676*435*565 (H-) 2 MM



SPARTAN | SIZE:60 cm/90 cm

CAT NO:71009 MRP: 60 cm BLACK:15000

CAT NO:71010 MRP: 90 cm BLACK:16500 SIZE 60 CM 90 CM 60 CM 90 CM **FINISH BLACK POWDER COATED** STAINLESS STEEL MATERIAL GP 120 GSM, 0.50 MM (+/-0.05) SS 430, 0.50 MM (+/-0.05) MM MM **TOP GLASS** NA NA FRONT GLASS **4 MM** MOTOR 180 W (HYBRID) 180 W (HYBRID) CAPACITOR CONTROL **3 SPEED MOTION** 3 SPEED MOTION SENSOR CONTROL SENSOR CONTROL **HOOD MATERIAL** GP 120 GSM, 0.50 MM (+/-0.05) SS 430, 0.50 MM (+/-0.05) MM **FILTER TYPE & SIZE** 2/3*SS BAFFLE FILTERS 2/3*SS BAFFLE FILTERS (285*235) MM (285*235) MM **BLOWER AND HOUSING** PLASTIC BLOWER & METAL PLASTIC BLOWER & METAL HOUSING HOUSING MATERIAL HOUSING BOX MATERIAL GP 120 GSM, 0.50 MM (+/-0.05) GP 120 GSM, 0.50 MM (+/-0.05) & THK **SUCTION POWER** 800 (+/- 10%) M3/H 800 (+/- 10%) M3/H NOISE LEVEL(DB) 58 TO 61 58 TO 61 **LED SQUARE LED SQAURE LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEATING STRIP** 60 WATTS HEAT STRIP **60 WATTS HEAT STRIP** OIL COLLECTOR PLASTIC BOWL FITTED WITH PLASTIC BOWL FITTED WITH HOUSING HOUSING **EXHAUST DUCT PIPE** ALUMINIUM FLEXIBLE PIPE ALUMINIUM FLEXIBLE PIPE **EXHAUST PIPE LENGTH** 6 FEET 6 FEET **BOX SIZE** 676*435*565 (+/-) 2 MM 676*435*565(+/-) 2 MM



SIZE:60 cm/90 cm

CAT NO:71011 MRP:

60 cm BLACK:16900

CAT NO:71012

MRP:

90 cm BLACK:18500

SIZE			
MATERIAL GP 120 GSM, 0.50 MM (+/-0.05) MM TOP GLASS 5 MM 6 MM FRONT GLASS 4 MM MOTOR 180 W (HYBRID) CAPACITOR 5 MF CONTROL 3 SPEED MOTION SENSOR CONTROL HOOD MATERIAL GP 120 GSM, 0.50 MM (+/-0.05) MM FILTER TYPE & SIZE PERFORATED FILTER (390+280) MM BLOWER AND HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/-0.05) MM PLASTIC BLOWER & METAL HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/-0.05) MM THK SUCTION POWER 800 (+/-10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	SIZE	60 CM	90 CM
TOP GLASS 5 MM 6 MM FRONT GLASS 4 MM MOTOR 180 W (HYBRID) CAPACITOR 5 MF CONTROL 3 SPEED MOTION SENSOR CONTROL HOOD MATERIAL GP 120 GSM, 0.50 MM (+/- 0.05) MM FILTER TYPE & SIZE PERFORATED FILTER (390*280) MM BLOWER AND HOUSING PLASTIC BLOWER & METAL HOUSING MATERIAL GP 120 GSM, 0.50 MM (+/- 0.05) MM HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/- 0.05) MM THK SUCTION POWER 800 (+/- 10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEAT ING STRIP 60 WATTS HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE ALUMINIUM FLEXIBLE PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	FINISH	BLACK POWDER COATED	
FRONT GLASS MOTOR 180 W (HYBRID) CAPACITOR 5 MF CONTROL 3 SPEED MOTION SENSOR CONTROL HOOD MATERIAL FILTER TYPE & SIZE PERFORATED FILTER (390*280) MM BLOWER AND HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/- 0.05) MM PLASTIC BLOWER & METAL HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/- 0.05) MM THK SUCTION POWER 800 (+/- 10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	MATERIAL	GP 120 GSM, 0.50 MM (+/-0.05) MM	
MOTOR CAPACITOR 5 MF CONTROL 3 SPEED MOTION SENSOR CONTROL HOOD MATERIAL FILTER TYPE & SIZE PERFORATED FILTER (390*280) MM BLOWER AND HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/- 0.05) MM THK SUCTION POWER 800 (+/- 10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	TOP GLASS	5 MM	6 MM
CAPACITOR CONTROL 3 SPEED MOTION SENSOR CONTROL HOOD MATERIAL FILTER TYPE & SIZE PERFORATED FILTER (390*280) MM BLOWER AND HOUSING MATERIAL HOUSING BOX MATERIAL & THK SUCTION POWER NOISE LEVEL (DB) LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 60 WATTS HEAT STRIP ALUMINIUM FLEXIBLE PIPE EXHAUST PIPE LENGTH 676*595*565 (+/-) 976*595*565 (+/-)	FRONT GLASS	4 MM	
CONTROL 3 SPEED MOTION SENSOR CONTROL HOOD MATERIAL GP 120 GSM, 0.50 MM (+/-0.05) MM FILTER TYPE & SIZE PERFORATED FILTER (390*280) MM BLOWER AND HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/-0.05) MM THK SUCTION POWER 800 (+/-10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	MOTOR	180 W (HYBRID)	
HOOD MATERIAL GP 120 GSM, 0.50 MM (+/- 0.05) MM FILTER TYPE & SIZE PERFORATED FILTER (390*280) MM BLOWER AND HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/- 0.05) MM THK SUCTION POWER 800 (+/- 10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEATING STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	CAPACITOR	5 MF	
FILTER TYPE & SIZE PERFORATED FILTER (390*280) MM BLOWER AND HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/- 0.05) MM THK SUCTION POWER 800 (+/- 10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEATING STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 60 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	CONTROL	3 SPEED MOTION SENSOR	CONTROL
BLOWER AND HOUSING MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/- 0.05) MM THK SUCTION POWER NOISE LEVEL (DB) LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEATING STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	HOOD MATERIAL	GP 120 GSM, 0.50 MM (+/-0	.05) MM
MATERIAL HOUSING BOX MATERIAL & GP 120 GSM, 0.50 MM (+/- 0.05) MM THK SUCTION POWER 800 (+/- 10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEATING STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	FILTER TYPE & SIZE	PERFORATED FILTER (390)*280) MM
THK SUCTION POWER 800 (+/- 10%) M3/H NOISE LEVEL (DB) 58 TO 61 LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEATING STRIP 60 WATTS HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)		PLASTIC BLOWER & META	AL HOUSING
NOISE LEVEL (DB) 58 TO 61 LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEAT AUTO CLEAN HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)		GP 120 GSM, 0.50 MM (+/- 0	.05) MM
LED SQUARE LED AUTO CLEAN HEAT AUTO CLEAN HEATING STRIP 60 WATTS HEAT STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE ALUMINIUM FLEXIBLE PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	SUCTION POWER	800 (+/-10%) M3/H	
AUTO CLEAN HEAT AUTO CLEAN HEATING STRIP OIL COLLECTOR EXHAUST DUCT PIPE EXHAUST PIPE LENGTH BOX SIZE AUMINIUM FLEXIBLE PIPE 6 FEET 676*595*565 (+/-) 976*595*565 (+/-)	NOISE LEVEL (DB)	58 TO 61	
HEATING STRIP OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE EXHAUST PIPE LENGTH BOX SIZE 60 WATTS HEAT STRIP METAL OIL COLLECTOR HANGING OUTISIDE ALUMINIUM FLEXIBLE PIPE 6 FEET 676*595*565 (+/-) 976*595*565 (+/-)	LED	SQUARE LED	
OIL COLLECTOR METAL OIL COLLECTOR HANGING OUTISIDE EXHAUST DUCT PIPE ALUMINIUM FLEXIBLE PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	AUTO CLEAN	HEAT AUTO CLEAN	
EXHAUST DUCT PIPE ALUMINIUM FLEXIBLE PIPE EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	HEATING STRIP	60 WATTS HEAT STRIP	
EXHAUST PIPE LENGTH 6 FEET BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	OIL COLLECTOR	METAL OIL COLLECTOR H	ANGING OUTISIDE
BOX SIZE 676*595*565 (+/-) 976*595*565 (+/-)	EXHAUST DUCT PIPE	ALUMINIUM FLEXIBLE PIP	E
	EXHAUST PIPE LENGTH	6 FEET	
	BOX SIZE		, ,



PLATINUM-T | SIZE:60 cm/90 cm

CAT NO:71014 MRP: 60 cm BLACK:15900

CAT NO:71015

MRP:

90 cm BLACK:17500

SIZE	60 C
FINISH	BLAG
MATERIAL	GP 1:
TOP GLASS	NA
FRONT GLASS	4 MM
MOTOR	180 V
CAPACITOR	5 MF
CONTROL	3 SPI CON
HOOD MATERIAL	GP 1:
FILTER TYPE & SIZE	2/3*S (285*
BLOWER AND HOUSING MATERIAL	PLAS HOU
HOUSING BOX MATERIAL & THK	GP 1:
SUCTION POWER	800 (
NOISE LEVEL(DB)	58 T
LED	SQU
AUTO CLEAN	HEA.
HEATING STRIP	60 W
OIL COLLECTOR	PLAS HOU
EXHAUST DUCT PIPE	ALUI
EXHAUST PIPE LENGTH	6 FEI

BOX SIZE

60 CM	90 CM
BLACK POWD	ER COATED
MM).50 MM (+/-0.05)
NA	
4 MM	
180 W (HYBRII	D)
5 MF	
SPEED MOT	ION SENSOR
GP 120 GSM, 0 MM).50 MM (+/-0.05)
2/3*SS BAFFL (285*235) MM	EFILTERS
PLASTIC BLO HOUSING	WER & METAL
GP 120 GSM, 0 MM).50 MM (+/- 0.05)
B00 (+/- 10%) N	A3/H
58 TO 61	
SQUARE LED	
HEAT AUTO C	LEAN
60 WATTS HE	AT STRIP
PLASTIC BOW HOUSING	L FITTED WITH
ALUMINIUM F	LEXIBLE PIPE

676*435*565 (+/-) 2 MM

STAINLESS STELL
SS 430, 0.50 MM (+/- 0.05) MM
NA
4 MM
180 W (HYBRID)
5 MF
3 SPEED MOTION SENSOR CONTROL
SS 430, 0.50 MM (+/-0.05) MM
2/3*SS BAFFLE FILTERS (285*235) MM
PLASTIC BLOWER & METAL HOUSING
GP 120 GSM, 0.50 MM (+/- 0.05 MM
800 (+/- 10%) M3/H
58 TO 61
SQAURE LED
HEAT AUTO CLEAN
60 WATTS HEAT STRIP
PLASTIC BOWL FITTED WITH HOUSING
ALUMINIUM FLEXIBLE PIPE

676*435*565(+/-) 2 MM

90 CM

60 CM

STAINLESS STEEL



HYDRO

SIZE:60 cm

CAT NO:71021

MRP:

60 cm BLACK:30900

SIZE	60 CM
FINISH	BLACK POWDER COATED
MATERIAL	GPSP, 0.5 MM
TOP GLASS	6MM
FRONT GLASS	5MM
EXHAUST PIPE	NA
EXHAUST PIPE LENGHT	6 FEET
CONTROL	3 SPEED MOTION SENSOR
HOOD MATERIAL	GPSP, 0.5 MM
SUCTION POWER	1250 M3/H (+/-10%)
LED	RECTANGULAR
MOTOR POWER	180W
AUTO CLEAN	HEATAUTOCLEAN, SIZE-600*90,70WATTS
OIL COLLECTOR	METAL & RECTANGULAR
BLOWER MATERIAL	METAL
FILTER TYPE & SIZE	BAFFLE FILTER & 390*280 MM



ALUMINIUM DUCT PIPE

ALUMIUNIUM COMPRESSIBLE DUCT PIPE





DEXOVIT INTERNATION PVT. LTD.

care@dexovit.com www.dexovit.com Toll Free : 1800 123 10 87